

Part Number	ADP440S224JN		Revision	
Customer P/N			Revision	
Capacitance	0.22	uF.	Tolerance	5%
Voltage	440	VAC		
Dielectric	Metallized Polypropylene			
Terminal Type	PCB-Mount Pins			
Operating Temperature	-25	85 °C.		
Dissipation Factor	0.001	maximum	@ 60 Hz.	

# MOTOR Capacitors, Inc.

Motor Capacitors, Inc.

335 Beinoris Drive

Wood Dale, Illinois 60191


773-774-6666 (Phone) | 773-774-6690 (Fax)


[www.capacitorindustries.com](http://www.capacitorindustries.com)

[info@capacitorindustries.com](mailto:info@capacitorindustries.com)

	Dimension	Tolerance
Width (W)	1.23	0.03
Thickness (T)	0.45	0.03
Height (H)	0.80	0.06
Lead Spacing	1.19	
Wire Length (G)	1.00	min.
Wire Thickness	1mm	AWG

*Dimensions in inches*



	Stamping	ADP
		0.22 uF 5% 440 VAC
		-25 - +85 C.
		50 - 60 Hz.
		Motor Cap
	RU, cRU, RoHS	

UL Recognized Component

Engineer J.D. Aldana  
Date January 31, 2000